



CANADIAN CRUTCHES

OS 8701

It offers anodized aluminum special profile body, reflective plastic hand grip, non-slip rubber tips, and adjustable height.

Size

STANDARD

OS 8712

PUSH BUTTON CRUTCH

It offers anodized special alloy aluminum profile body, height adjustable massive hand grip, non-slip rubber tips, and adjustable height.



Size

| | | |
|----------|----------|----------|
| S | M | L |
| 150 | 170 | 190 |



SUPPORTIVE WALKING STICK

OS 8706

It offers anodized special alloy aluminum profile body, plastic hand grip, non-slip rubber tips, and adjustable height.

Size

STANDARD



FOLDING WALKING STICK

05 8711

It offers anodized special alloy aluminum profile body, hand grip, non-slip rubber tips, and adjustable height. Easy transport with special folding mechanism.

Size

STANDARD

05 8710

TRIPOD WALKING STICK

It offers anodized special alloy aluminum profile body; chrome plated steel legs, non-slip rubber tips, hand grip and adjustable height. Balanced grip with 3 legs parallel to each other.

Size

STANDARD



TETRAPOD WALKING STICK

05 8709

It offers anodized special alloy aluminum profile body, chrome-plated steel legs, non-slip plastic rubber tips and hand grip. Adjustable height. Balanced grip with 4 legs parallel to each other.

Size

STANDARD



WALKER

OS 8703

It has an anodized special alloy metal body, the side frames moving independent of each other, height adjustment with pin, non-slip hand grip. non-slip rubber tips, and folding feature.

Size

CHILD

ADULT

OS 8703 A

ALUMINUM WALKER

It offers anodized special alloy metal body, side frames moving independent of each other, height adjustment with pin, non-slip hand grip. non-slip rubber tips, and folding feature.

Size

STANDARD



WHEELED WALKER

OS 8705

It offers anodized special alloy metal body, side frames moving independent of each other, height adjustment with pin, non-slip plastic hand grip. non-slip rubber tips, and it has folding feature. there are two wheels at the front.

Size

CHILD

ADULT



FOLDING COMMODE

OS 8707

It is of folding type and equipped with anodized special alloy metal frame, height adjustment with pin, non-slip rubber tips, plastic bucket plastic seat and lid.

Size

STANDARD

OS 8707 A

WHEELED FOLDING COMMODE

It is of folding type and equipped with anodized special alloy metal frame, height adjustment with pin, non-slip rubber tips, plastic bucket plastic seat and lid. four wheels with two brakes.



Size

STANDARD



REVERSE WALKER

OS 8715

It is of folding type and equipped with anodized special alloy metal frame, side frames moving independent of each other, height adjustment with pin, non-slip plastic hand grip non-slip rubber tips. There is one wheel at the front. special design allowing reverse use

Size

CHILD

ADULT



SPIDER WALKER

OS8713

It is designed as 6 adjustable wheel and electrostatic powder painted product. since the orthosis has six wide span legs such as spider legs, it prevent the patient from damage that will be resulting from any crashes, and the patient will not be leaped out from one side to the other. it will be comfortable and move safely, the orhosis is of wheeled type and has six wheels and a lightweight product.

Size

Ages 2 - 5

Ages 3 - 6

Ages 6 - 12

ADULT

OS8714

PEDIATRIC WALKER (GAIT TRAINER)

Thanks to its aerodynamic design, It is used for walking training of CP patients. It is manufactured from aluminum profile and coated with electrostatic paint.

Aluminum is produced from profiler and colored with electrostatic paint. There are 4 wheels and a seat and its belts are made of special air permeable and durable fabric.

Size

Ages 2 - 5

Ages 3 - 6

Ages 6 - 12

ADULT



STANDING FRAME

OS6505

Adjustment are carried out through, foot pad mechanism for the user to secure his feet, knee pad mechanism to keep his leg vertically straight, lashing strap to ensure vertical adjustment of hip, and armpit support mechanism for chest shoulder upright position. Standing frames types are produced in 3 sizes for user patients.

Size

Ages 2-11

Ages 11-16

Ages 16-45

OS4913

ALUMINUM WALKER (IMPORTED)

Lightweight aluminum construction provides ease of transport.

It is specially designed for pediatric users.

The rotating body structure allows movement along with the user.

It gives confidence on rubber pads that do not leave marks on the floor.

The leg size can be adjusted at 6 steps according to the user's type.

Comfortable foam hand holders are ergonomic.

It can be easily folded with one hand with one button.

Folding feature provides easy transport and storage.

Size

CHILD

ADULT





ALUMINUM WHEELCHAIR

OS 3505

| | | | | |
|--------------------------------------|--------------------------------------|--|--------------------------|-----------------------------|
| Width of seat 45cm (18") | Depth of seat 40 cm | Height of seat 48 cm | Seat angle 3° | Height of backrest 40 cm |
| Height of armrest 23 cm | Overall width 66 cm | Overall height 92 cm | Overall length 107 cm | Folding with 30 cm |
| Rear wheel 24" Pneumatic | Front wheel 8" PU filling | Material Aluminum | Tilt feature - | Product weight 13,50 kg |
| Transportation capacity 120,00 kg | Package dimensions 770x320x940 mm | Container loading quantity 126 AD/20'DC 294 AD/40'HQ | | |

- The armrests that can be lifted backward and then removed, facilitate the transfer of the user on the bed, car, and the like areas.
- The armrest design provides opportunities to use objects such as dinner table and class desk.
- The collapsible aluminum body construction provides ease of transport and storage.
- The folding backrest structure and quick release provides additional area advantage at the stage where the rear wheel on transport.
- The footrests which can be removed, lifted up and rotated towards outside, provides additional maneuverability in limited spaces such as lift and the like.
- The rear wheel connection mechanisms provide extra strength.
- It is equipped with anti tip wheel to prevent the user from tipping backward during the use in the inclined areas. Thanks to the stair climbing bar and push handles it is suitable for the escorting person to use the chair.
- The seat cushion provides comfort to the user for extended periods of use.
- Anti bacterial fabric upholstery prevents bacterial growth in long-term use.

OS 3504

ELECTRIC WHEELCHAIR

| | | | | |
|--|---|--|--------------------------|-----------------------------|
| Width of seat 47 cm | Depth of seat 41 cm | Height of seat 50 cm | Seat angle 2° | Height of backrest 43 cm |
| Height of armrest 21 cm | Overall width 65 cm | Overall height 96 cm | Overall length 104 cm | Folding with 33 cm |
| Rear wheel 12-1/2"x2-1/4" PU Filled tire | Front wheel 8"(200x50mm) PU filling | Material Steel | Tilt feature - | Product weight 57,00 kg |
| Transportation capacity 136,00 kg | Package dimensions 820x350x1000 mm | Container loading quantity 102 AD/20'DC 244 AD/40'HQ | | |



- Extra-reinforced body construction allows for reliable driving.
- The armrests that can be lifted backwards. facilitates the transfer of user in the areas such as bed and car etc.
- The armrest design provides opportunities to use objects such as dinner table and class desk.
- The folding body construction provides ease of transport and storage.
- The footrests which can be removed, provides additional maneuverability in limited spaces such as lift and the like.
- The 12 "rear wheels are designed for PU material that serves as a suspension and allows for comfortable driving.
- 200 * 50 PU front wheels provide comfortable driving on damaged floors and on grates.
- It offers manual driving where required by disengaging the motors.
- It is equipped with anti tip wheel to prevent the user from tipping backward during the use in the inclined areas.
- The optional seat cushion provides comfort to the user for extended periods of use.
- Anti bacterial fabric upholstery prevents bacterial growth in long-term use.



STANDARD WHEELCHAIR

OS 3500

| | | | | |
|---|--------------------------------------|--|--------------------------|-----------------------------|
| Width of seat 44 cm | Depth of seat 40 cm | Height of seat 48 cm | Seat angle - | Height of backrest 38 cm |
| Height of armrest 30 cm | Overall width 64 cm | Overall height 87 cm | Overall length 103 cm | Folding with 24 cm |
| Rear wheel 24" | Front wheel 8" PU filling | Material Steel | Tilt feature - | Product weight 15,50 kg |
| Max. Transportation capacity 100,00 kg | Package dimensions 935x255x895 mm | Container loading quantity 148 AD/20'DC 378 AD/40'HQ | | |

- It is designed for short-term uses with its simplicity and simple structure.
- The folding body construction provides ease of transport and storage.
- Thanks to the stair climbing bar and push handles it is suitable for the escorting person to use the chair.

OS 3502

INDOOR WHEELCHAIR

| | | | | |
|--|--|--|-------------------------|-----------------------------|
| Width of seat 44 cm | Depth of seat 43 cm | Height of seat 50 cm | Seat angle - | Height of backrest 40 cm |
| Height of armrest 22 cm | Overall width 60 cm | Overall height 88 cm | Overall length 93 cm | Folding with - |
| Rear wheel 5" (125 mm) PU Filling-with fan | Front wheel 5" (125 mm) PVC filled | Material Steel | Tilt feature - | Product weight 12,10 kg |
| Transportation capacity 100,00 kg | Package dimensions 570x540x540 mm | Container loading quantity 160 AD/20'DC 352 AD/40'HQ | | |



- With its multifunctional structure, the user can relieve himself both in the house and on the toilet.
- The armrests that can fall down to the user's bed, facilitates the transfer of the user on the bed, car, and the like areas.
- It's removable footrests, provides additional maneuverability in the limited spaces such as bathroom, toilet and the like.
- The toilet apparatus has a soft cover on the top to provide comfort to the user.
- The potty bucket can be removed and adapted to the closet.
- The wheels are equipped with brakes in order to prevent the user from moving on the slippery floors when relieving himself.
- The back of the chair is removable in terms of ease of transport and storage.



ROLLATOR

OS9146

- It provides ease of driving with its light aluminum structure
- The brakes can be locked easily when pushed down.
- Height is adjustable hand grips are ergonomic.
- It is suitable to indoor and outdoor use.
- The front wheels swiveling 360° provide extra maneuverability.
- 6" unburstable PVC wheels are good for long-term use
- Easy to carry and store due to its folding feature.
- Comfortable seating area and removable backrests allows the user for resting
- Basket to put the user's items in situations such as shopping and the like

| | | | | | | | | |
|------------------------|------------------------------|-------------------------------|-------------------|-----------------------------|----------------------------|--------------------------------------|-----------------------------------|--|
| Width of seat 61 cm | Depth of seat 61 cm | Height of seat 48 cm | Seat angle | Height of backrest 40 cm | Height of armrest 25 cm | Overall width 61 cm | Overall height 93 cm | Overall length 81 cm |
| Folding with 29 cm | Rear wheel 6" PVC Filling | Front wheel 6" PVC Filling | Material Steel | Tilt feature - | Product weight 7.00 kg | Transportation capacity 100,00 kg | Package dimensions 63x23x83 cm | Container loading quantity 240 AD / 20'DC 561 AD / 40'HQ |

OS6805

TRANSFER CHAIR

- Folding body structure provides ease for transport and storage.
- Footrests and backrest are of folding type and occupies little space during transportation.
- Thanks to the stair climbing bar, push handles and escorting brakes, it is suitable for the escorting person to use the chair.
- Anti bacterial fabric upholstery prevents bacterial growth in long-term use.

| | | | | | | | | |
|------------------------|-------------------------------|-------------------------------|-------------------|-----------------------------|-----------------------------|--------------------------------------|-----------------------------------|--|
| Width of seat 44 cm | Depth of seat 37 cm | Height of seat 48 cm | Seat angle | Height of backrest 40 cm | Height of armrest 25 cm | Overall width 61 cm | Overall height 88 cm | Overall length 81 cm |
| Folding with 29 cm | Rear wheel 12" PVC Filling | Front wheel 6" PVC Filling | Material Steel | Tilt feature - | Product weight 11, 15 kg | Transportation capacity 100,00 kg | Package dimensions 70x25x72 cm | Container loading quantity 240 AD / 20'DC 561 AD / 40'HQ |



RECLINE MANUAL WHEELCHAIR (ARKASI YATAR)

OS3608

- It is designed, in view of the comfort of user, it can turn to sun bed position by tilting the hydraulic backrest section 160°. Its headrest can be positioned in compliance with the ergonomics of the user head.
- The removable armrests facilitate the transfer of the user on the bed, car, and the like areas.
- The armrest design provides opportunities to utilize objects such as dinner table and class desk.
- The dining table makes it easy for user to satisfy his nutritional needs in every area.
- The removable footrests provide additional maneuverability in the limited spaces such as lift and the like.
- The footrests, in view of the comfort of user, have been designed as 90° upliftable in order to allow the user to extend his legs forward.
- Footrests and calf rest sections have an adjustable feature according to the height of the user.
- 200 * 50 PU front wheels provide comfortable driving on damaged floors and grates.
- Folding body structure provides ease of transportation and storage.
- Thanks to the stair climbing bar, push handles and escorting brakes, it is suitable for the escorting person to use the chair.
- It is equipped with anti tip wheel to prevent the user from tipping backward during the use in the inclined areas and in the sun bed position.
- It offers a seat in the form of chamber pot and potty bucket with odor preventing lid in order for the user to relieve himself.
- Anti bacterial vinyl upholstery fabric prevents bacteria formation in long-term use.

| | | | | | | | | |
|------------------------|-------------------------------|------------------------------|-------------------|-----------------------------|----------------------------|--------------------------------------|--------------------------------------|---|
| Width of seat 46 cm | Depth of seat 40 cm | Height of seat 41 cm | Seat angle | Height of backrest 54 cm | Height of armrest 25 cm | Overall width 65 cm | Overall height 125 cm | Overall length 118 cm |
| Folding with 25 cm | Rear wheel 24" PVC Filling | Front wheel 8" (200x50mm) | Material Steel | Tilt feature - | Product weight 27,80 kg | Transportation capacity 120,00 kg | Package dimensions 11,6x3,1x80 cm | Container loading quantity 98 AD / 20'DC 240 AD / 40'HQ |